

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandria, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/540,963	07/10/2006	Franz Haimerl	FA/262	6053
Kevin I Bolan	7590 12/08/201	0	EXAM	UNER
W L Gore & Associates			PRANGE, SHARON M	
551 Paper Mil PO Box 9206	l Road		ART UNIT	PAPER NUMBER
Newark, DE 1	9714-9206	3728		
			MAIL DATE	DELIVERY MODE
			12/08/2010	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.	Applicant(s)	Applicant(s)		
10/540,963	HAIMERL, FRANZ			
Examiner	Art Unit			
SHARON M. PRANGE	3728			

Office Action Summary	Examiner	Art Unit					
	SHARON M. PRANGE	3728					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING D. Extensions of times may be available under the provisions of 37 CFR 1.15 and the CSX (3) MONTH's from the making date of this communication. Failure to reply within the sort or standed period for reply will by statute. Any reply received by the Office later than three months after the mailing agency facility that the common start that the com	ATE OF THIS COMMUNICATION 16(a). In no event, however, may a reply be tin till apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this o D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 17 Se	eptember 2010.						
2a) This action is FINAL. 2b) ☐ This	action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1-100</u> is/are pending in the application	1.						
4a) Of the above claim(s) <u>57-100</u> is/are withdrawn from consideration.							
5) Claim(s)is/are allowed.							
6)⊠ Claim(s) <u>1-56</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9) The specification is objected to by the Examine							
, — . , , ,		Evaminer					
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Applicant may not request that any objection to the drawing(s) be need in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
<u> </u>							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
 Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). 							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da 5) Notice of Informal P						
Information Disclosure Statement(s) (FTO/SB/CE) Paper No(s)/Mail Date	6) Other:	energy phoenor					

Application/Control Number: 10/540,963 Page 2

Art Unit: 3728

DETAILED ACTION

This is in response to Applicant's amendment in which claims 11, 14-16, 19, 20, 22, 41, 48, 49, 54, and 56 were amended, and claims 57-100 were withdrawn. The previous 35 USC 112 rejections of claims 1-56 are withdrawn in light of Applicant's amendments to the claims.

Double Patenting

1. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory Art Unit: 3728

double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-56 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-35 of U.S. Patent No. 7,127,833.

Although the conflicting claims are not identical, they are not patentably distinct from each other because the claimed structure of the present application may be wholly derived from the claimed subject matter of the patent.

Claim Rejections - 35 USC § 103

- The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- Claims 1-9, 13-30, 35-39, 43, 45-48, and 51 rejected under 35 U.S.C. 103(a) as being unpatentable over Mahler (US 5,433,021) in view of Erickson (US 5,946,724).

Mahler discloses footwear having a shoe upper having a lower end. The upper has an outer material (upper 3) and a waterproof, water vapor-permeable functional layer (4). A lower end of the functional layer forms a functional layer zone that is not covered by the outer material. A connecting band (upper band 6, lower band 7, straps 8) extends around the periphery of the upper. The connecting band has an upper

Art Unit: 3728

longitudinal side (6) joined to the outer material and a lower longitudinal side (7) joined to the functional layer. A liquid sealing material can flow through the band. A lining is arranged on the inner side of the functional layer. An insole (inner sole 1) is joined to the lower longitudinal side of the connecting band and the lining (column 5, lines 11-23; Fig. 1a). The connecting band may be substantially rigid (column 3, lines 35-38). The connecting band may be punched (column 6, lines 21-25). The connecting band may be formed by a net band, which may be woven (column 3, lines 61-62). The sealing material is formed by sole material which is liquid during the molding process and penetrates the connecting band (column 5, lines 24-32).

Mahler does not specifically disclose the degrees of curvature of the upper and lower longitudinal sides of the connecting band. Mahler does teach the importance of having a pleat-free fabrication with the connecting band, particularly in areas with small radii of curvature (column 6, lines 30-37). Erickson teaches that a seam may be made pleat-free by controlling the radius of curvature of the material; providing different areas of the seam with different radii (column 2, lines 16-33). It would have been obvious to one of ordinary skill in the art at the time of the invention to have altered the radius of curvature of the material, as taught by Erickson, of the connecting band of Mahler as this would be a simple substitution of one method of providing a pleat-free seam for another.

Regarding claims 6-9, Mahler discloses the claimed invention except for a second connecting band. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a second connecting band in order to

Art Unit: 3728

allow sealing material to flow more easily around all of the elements in the lower end, since such a modification would amount to a mere duplication of parts. It has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. St. Regis Paper Co. v. Bemis Co., 193 USPQ 8.

Regarding claims 26-28 and 45, Mahler does not disclose that the connecting band is subject to longitudinal tensile pre-stress. Official Notice is taken that it is old and conventional to attach a material while under tensile pre-stress to avoid any pleating of the material. Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention, in view of the Official Notice, to have attached one end of the longitudinal band while under tensile pre-stress in order to avoid pleating of the material.

Regarding claim 45, Mahler discloses the general conditions of the claimed invention except for the express disclosure of the extendibility of the connecting band. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have made the extendibility of the connecting band at least 20%, since the claimed values are merely an optimum or workable range. It has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. In re Aller, 105 USPQ 233.

4. Claims 10-12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mahler and Erickson, as applied to claims 1-9, 13-30, 35-39, 43, 45-48, and 51, in view of Keidel et al. (US 6.820.352), herein Keidel.

Art Unit: 3728

Mahler does not disclose that the lower end of the lining is longer than the lower end of the functional layer.

Keidel teaches providing a lining (10) which is longer than a functional layer (9) (column 3, lines 63-67; column 4, lines 1-12; Fig. 7-10). It would have been obvious to one of ordinary skill in the art at the time of the invention to have made the lining of Mahler shorter than the functional layer, as taught by Keidel, in order to allow the lining to be attached to the insole and/or connecting band without further puncturing the waterproof functional layer with seams.

 Claims 40-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mahler and Erickson, as applied to claims 1-9, 13-30, 35-39, 43, 45-48, and 51, in view of Ricosta GmbH &Co. (DE 296 01 600), herein Ricosta.

Mahler does not disclose a string-lasting tunnel with a lashing string.

Ricosta teaches providing a string lasting tunnel (retaining loops) with a lashing string (pull cord 28) to the lower end of a liner (14) of a shoe. The lashing string allows the liner to be pulled tight over a last during molding of the sole. The tightening helps to prevent creasing of the liner within the shoe (page 8, para. 4, 5; page 10, para. 1; Fig. 3). It would have been obvious to one of ordinary skill in the art at the time of the invention to have provided a string-lasting tunnel and lashing string, as taught by Ricosta, in order to allow the liner to be pulled tightly over the last during molding of the sole, preventing creasing within the shoe.

Art Unit: 3728

 Claims 52 and 53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mahler and Erickson, as applied to claims 1-9, 13-30, 35-39, 43, 45-48, and 51, in view of Pavelescu et al. (US 5,943,791), herein Pavelescu.

Mahler does not disclose that the insole is connected to the functional layer, connecting band, or outer material by lasting cement or a Strobel seam.

Pavelescu teaches that it is well known to attach layers of the upper to the insole with either a Strobel seam or cement-lasting (column 4, lines 39-41). It would have been obvious to one of ordinary skill in the art at the time of the invention to have attached the layers of the upper to the insole by either a Strobel seam or lasting cement, in order to use an attachment mechanism which is well known to be effective in attaching insoles.

 Claims 54-56 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mahler and Erickson, as applied to claims 1-9, 13-30, 35-39, 43, 45-48, and 51, in view of Haimerl (US 5.285.546).

Mahler does not disclose a sealing layer applied to the lower end of the upper.

Haimerl teaches providing a sealing layer (film 514c) to the underside of an upper such that it extends parallel to a still to be applied sole (column 10, lines 10-17; Fig. 6). It would have been obvious to one of ordinary skill in the art at the time of the invention to have provided a sealing sheet, as taught by Haimerl, to the construction of Mahler in order to provide further waterproofing protection to the lower end of the shoe.

Art Unit: 3728

 Claims 1-5, 13, 14, 16-18, 21, 22, 29-34, 43, 44, 46, 47, and 49-52 are rejected under 35 U.S.C. 103(a) as being unpatentable over Polegato Moretti (US 2002/0040537), herein Moretti, in view of Mahler and Erickson.

Moretti discloses footwear having a shoe upper having a lower end. The upper has an outer material (upper 11) and a waterproof, water vapor-permeable functional layer (membrane 13). A lower end of the functional layer forms a functional layer zone that is not covered by the outer material. A connecting band (connecting element 20) extends around the periphery of the upper. The connecting band has an upper longitudinal side joined to the outer material and a lower longitudinal side joined to the functional layer. A lining (internal fabric 15) is arranged on the inner side of the functional layer. An insole (16) is joined to the lower longitudinal side of the connecting band and the lining (paragraphs 0027, 0030, 0032, 0033; Fig. 2). The connecting band is a non-porous material, having a sealing material (21) which melts with thermal energy, such as by the hot-liquid sole material. The band may be formed of polyurethane (paragraphs 0034, 0036, 0037). The functional layer is water-vapor-permeable and may be formed of PFTE (paragraph 0027). The insole may be joined by a Strobel seam (paragraph 0033).

Moretti does not specifically disclose the degrees of curvature of the upper and lower longitudinal sides of the connecting band. Mahler teaches the importance of having a pleat-free fabrication with the connecting band, particularly in areas with small radii of curvature (column 6, lines 30-37). Erickson teaches that a seam may be made pleat-free by controlling the radius of curvature of the material: providing different areas

Art Unit: 3728

of the seam with different radii (column 2, lines 16-33). It would have been obvious to one of ordinary skill in the art at the time of the invention to have constructed the connecting band of Moretti such that a pleat-free fabrication is possible, as taught by Mahler, in order to allow for a better connection of the connecting band without excess material. It further would have been obvious to one of ordinary skill in the art at the time of the invention to have altered the radius of curvature of the material, as taught by Erickson, of the connecting band of Moretti as this would be a simple substitution of one method of providing a pleat-free seam for another.

Response to Arguments

 Applicant's arguments with respect to claims 1-56 have been considered but are moot in view of the new ground(s) of rejection.

As noted by Applicant, the Moretti reference was incorrectly cited in the previous Office Action. The correct Patent Publication No. has now been cited.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to SHARON M. PRANGE whose telephone number is (571)270-5280. The examiner can normally be reached on M-F 7:30-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mickey Yu can be reached on (571) 272-4562. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/540,963 Page 10

Art Unit: 3728

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/S. M. P./ 12/4/10 Examiner, Art Unit 3728 /Mickey Yu/ Supervisory Patent Examiner, Art Unit 3728